

ANTIBIOTIC DROPS



- Besivance
- Vigamox / Moxeza
3 x/DAY FOR 1 WEEK

- Ocuflax (Ofloxacin)
4 X/DAY FOR 1 WEEK

STEROIDAL DROPS

(Anti-Inflammatory)

SHAKE BEFORE EVERY USE



- Inveltys
2 X / DAY FOR 3 WEEKS

- Durezol
3 X / DAY FOR 3 WEEKS

- Pred. Acetate 1%
(shake bottle)
- Lotemax Gel
4 X / DAY FOR 3 WEEKS

NON-STEROIDAL DROPS

(Anti-Inflammatory)



- Bromsite
2 X / DAY FOR 3 WEEKS

- Ilevro / Prolensa
1 X / DAY FOR 3 WEEKS

- Bromfenac / Diclofenac
4 X / DAY FOR 3 WEEKS

COMBO DROP



- Pred-Moxi-Ketor
4 X/DAY FOR 3 WEEKS

****See drop schedule grid on reverse side. Eye drops may sting or burn upon instillation.**

Wait 5 minutes between drops. Use drops during waking hours only. Do not rub or touch your eye!

AFTER YOUR SURGERY:

- Mild discomfort, tearing, aches and/or pains are normal and expected after surgery. If you have severe pain not relieved by Tylenol, please call our office immediately.
- Wear eye goggles/shield when sleeping for the first week. Position the shield over your eye and apply a strip of tape diagonally from the center of your forehead to your cheek.
- You may take a shower and wash your hair but be careful not to get soap in your eye.
- It is normal for vision to be blurry right after surgery. Because of this your vision may not be adequate to drive. Your vision will gradually improve over time.
- You may return to work and/or drive when you are confident with your vision and your comfort allows.
- **If you notice increasing pain or a decrease in vision, please call our office immediately!**

- You may bend over for normal daily activities; however, no heavy lifting for 2 weeks. Please stay away from areas with excessive dirt and dust following surgery. Wear something to protect your eyes at all times.
- No eye makeup for 1 week
- Immediately after surgery, you may resume all of your regular medications prescribed by your family and/or specialty doctors unless specified otherwise.
- Only use the eye drops prescribed immediately after surgery in your operated eye. Please continue to use any glaucoma or other eye drops in the unoperated eye.

- **Your 1-day postoperative check is on:**

_____ at _____

Please bring eye drops with you to eye exams.

Emergency phone number (after hours only): (707) 234-7950
If you have any questions, please call **707-522-6200**