

ANTIBIOTIC DROPS



- Besivance** –
3x Day / 7 Days
- Moxeza** –
3x Day / 7 Day
- Ocufloxacin** –
4x Day / 7 Days

**STEROIDAL DROPS
(Anti-Inflammatory)**



- Eyesuvis/ FML Opth. Susp.**
4x Day / 1 Month
3x Day / 1 Month
2x Day / 1 Month
1x Day / 1 Month
- Inveltys / Durezol**
2x Day / 1 Month
1x Day / 2 Months
- LotemaxSM /Pred. Acetate**
1%
3x Day / 1 Month
2x Day / 1 Month
1x Day / 2 Months

**NON-STEROIDAL DROPS
(Anti-Inflammatory)**
For pain relief



- Ilevro / Prolensa** –
1x Day / 4 Days
- Diclofenac** -
4x Day / 4 Days

**PRESERVATIVE FREE
ARTIFICIAL TEARS**



- Optase, Blink, Systane,
or Refresh**
- Every 1-2 Hours for 1 Month;
every 3-4 Hours for 3
months; and then as needed.

Wait 5 minutes between drops. Use drops during waking hours only. Do not rub or touch eyes!

- AFTER YOUR SURGERY:**
- The most dramatic changes in vision occur late in the first week, however vision changes will continue for the next several months. Daily fluctuation in your vision is very normal during this time, even from morning to evening.
 - Until you feel completely confident in your vision, **DO NOT** attempt to drive.
 - It is mandatory to wear the protective goggles provided in your kit for the first one week while sleeping
 - **Apply cold compresses as much as possible for the first 4 days.**
 - The redness, irritation and discomfort will progressively diminish. Do not wear any make-up, lotions, etc. around your eyes for one week. Keep water and soap out of your eyes.
 - **Take Vitamin C 1,000 mg/day for 4 months.**
 - If the bandage contact lens falls out, do not attempt to replace it. Please call us.

- Avoid contact sports (i.e. sports with balls) for seven days. Light exercise is permitted, but be vigilant about not getting sweat in your eyes.
- Avoid situations involving dirt, dust, etc.
- Avoid swimming pools, hot tubs, tanning beds, etc. for the first two weeks after your procedure.
- It is okay to read, watch television and work in front of the computer. Remember to take frequent breaks and to lubricate your eyes.
- Wear **polarized sunglasses** to maximize your protection against harmful ultraviolet rays.
- Use only non-preserved lubrication eyes drops for the first month. You can then switch to any lubricating eye drop unless specified otherwise by your doctor.
- Call LaserVue Eye Center with any questions or concerns.

Emergency phone number (after hours only): (707) 234-7950
If you have any questions, please call **707-522-6200 or 800-527-3745**